

Amendments to the Claims:

Following is a complete listing of the claims pending in the application, as amended:

1-31. (Cancelled)

32. (Currently Amended): A tissue anchor comprising:

- a. an elongate tube having a central bore, a closed distal end and a proximal end, wherein said tube has at least one aperture spaced proximally from said distal end;
- b. an elongate member having a portion sized for receipt and axial movement in said central bore between a first position and a second position, wherein said elongate member includes a longitudinal axis and at least one anchor member attached to said portion; and
- c. wherein said at least one anchor member has a free distal end and is configured and positioned so that when said portion is in said first position said at least one anchor member is at least partially received in said elongate tube and when said portion is in said second position said at least one anchor member projects through said at least one aperture and extends transversely relative to said longitudinal axis with the free distal end positioned outwardly of the elongate tube.

33. (Previously Amended): A tissue anchor according to claim 32, wherein said elongate tube has an outside diameter ranging from 0.5mm to 12mm.

34. (Previously Amended): A tissue anchor according to claim 33, wherein said outside diameter ranges from 1mm to 3mm.

35. (Previously Added): A tissue anchor according to claim 32, wherein said at least one anchor member includes four anchor members.

36. (Previously Added): A tissue anchor according to claim 32, wherein said at least one anchor member has a curved configuration when said portion is in said second position.

37-64. (Cancelled)

65. (Previously Added): A tissue anchor according to claim 35, wherein said at least one aperture includes four apertures, with one aperture being associated with each anchor member.

66. (Previously Added): A tissue anchor according to claim 65, wherein each anchor member projects from its associated aperture when the elongate member is in its first position.

67. (Currently Amended): A tissue anchor according to claim 32, wherein said at least one anchor member includes a barb adjacent an said free distal end thereof.

68. (Previously Amended): A tissue anchor according to claim 32, wherein the closed distal end of the elongate tube is adapted to be advanced into a volume of tissue to position the at least one anchor member for stabilizing deployment into the tissue.

69. (Cancelled)

70. (Previously Amended): A tissue anchor according to claim 32, wherein said at least one anchor member extends distally beyond a distal end of the elongate member when the elongate member is in its first position.

71. (Previously Added): A tissue anchor according to claim 70, wherein said at least one anchor member is curved when in an unbiased state.

72. (Previously Added): A tissue anchor according to claim 71, wherein said at least one anchor member is in its unbiased state when the elongate member is in its second position.
73. (Previously Added): A tissue anchor according to claim 71, wherein said at least one anchor member curves proximally when the elongate member is in its second position.
74. (Previously Added): A tissue anchor according to claim 32, wherein said portion of the elongate member is sized for a close sliding fit within the central bore of the elongate tube.
-
75. (Currently Amended): A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:
- a. an elongate tube having a distal end adapted to be advanced into the tissue mass, a central bore, a wall, and a plurality of apertures extending through the wall;
 - b. a manually controllable actuator carried by the elongate tube and comprising an elongate member sized for a close sliding fit within the central bore of the elongate tube, the actuator being moveable with respect to the elongate tube between a first position and a second position; and
 - c. a plurality of manually deployable anchor members, with one anchor member being associated with each aperture of the elongate tube, each of the anchor members being operatively connected to the actuator such that each anchor member assumes a retracted position when the actuator is in its first position and each anchor assumes an extended position when the actuator is in its second position, each anchor member in its retracted position having a major portion received within the central bore of the elongate tube, each anchor member in its extended position projecting outwardly from its associated aperture into the tissue mass and

c12
assuming a curved configuration to facilitate stabilization of the tissue mass.

76. (Previously Added): A tissue anchor according to claim 75, wherein the apertures of the elongate tube are spaced proximally of the distal end.

77. (Cancelled)

78. (Previously Amended): A tissue anchor according to claim 75, wherein the actuator further comprises a ring carried adjacent a proximal end of the elongate member.

79. (Previously Added): A tissue anchor according to claim 75, wherein the actuator further comprises a stop, the stop cooperating with the elongate tube to limit movement of the elongate member with respect to the elongate tube, thereby defining the second position of the actuator.

80. (Currently Amended): A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:

- c13
- a. an elongate tube having a distal end adapted to be advanced into the tissue mass, a central bore, a wall, and a plurality of apertures extending through the wall;
 - b. a manually controllable actuator carried by the elongate tube and comprising an elongate member slidably received within the central bore of the elongate tube, the actuator being moveable with respect to the elongate tube between a first position and a second position; and
 - c. a plurality of manually deployable anchor members, with one anchor member being associated with each aperture of the elongate tube, each of the anchor means being attached to the elongate member for movement therewith such that each anchor member assumes a retracted position when the actuator is in its first position and each anchor assumes

C13
an extended position when the actuator is in its second position, each anchor member in its retracted position having a major portion received within the central bore of the elongate tube, each anchor member in its extended position projecting outwardly from its associated aperture into the tissue mass and assuming a curved configuration to facilitate stabilization of the tissue mass.

81. (Previously Added): A tissue anchor according to claim 80, wherein the elongate member is moved distally as the actuator moves from its first position to its second position.

82. (Previously Added): A tissue anchor according to claim 75, wherein each anchor member projects from its associated aperture when the actuator is in its first position.

83. (Currently Amended): A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:

- C14
- a. an elongate tube having a closed distal end, a central bore, a wall, and four apertures extending through the wall;
 - b. a rod having a manually engageable ring member adjacent its proximal end and a length which is slidably received in the central bore of the elongate tube, the rod being moveable distally with respect to the elongate tube from a first position to a second position; and
 - c. four anchor members, with one anchor member being associated with each aperture of the elongate tube, each of the anchor members being connected to the rod for movement therewith such that each anchor member assumes a retracted position when the rod is in its first position and each anchor member assumes an extended position when the rod is in its second position, each anchor member in its retracted position having a majority of its length received within the central bore of the elongate tube, each anchor member in its extended position projecting

outwardly from its associated aperture into the tissue mass and assuming a curved configuration to facilitate stabilization of the tissue mass.

-
84. (Previously Added): A tissue anchor according to claim 83, wherein the apertures of the elongate tube are spaced proximally of the distal end.
85. (Previously Added): A tissue anchor according to claim 83, wherein the rod further comprises a stop, the stop cooperating with the elongate tube to limit movement of the rod with respect to the elongate tube, thereby defining the second position of the rod.
86. (Previously Added): A tissue anchor according to claim 83, wherein the anchor members are attached to the rod and extend distally beyond a distal end of the rod.
87. (Previously Added): A tissue anchor according to claim 83, wherein a small portion of each anchor member projects from its associated aperture when the rod is in its first position.
88. (Previously Amended): A method of stabilizing a tissue mass using the tissue anchor of claim 83, comprising:
- a. with the rod in its first position, advancing the distal end of the elongate tube into the tissue mass;
 - b. thereafter, advancing the rod distally to its second position, thereby forcing the anchor members outwardly from the elongate tube and into the tissue mass to stabilize the tissue mass; and
 - c. thereafter, drawing the tissue anchor proximally to apply tension to the tissue mass.
89. (Cancelled)

90. (Previously Added): A method according to claim 88, further comprising leaning the elongate tube and the elongate rod after the anchor members are deployed in the tissue mass to facilitate surgical removal of the tissue mass.

91. (Previously Added): A method of removing a tissue mass from a tissue using the tissue anchor of claim 83, comprising:

- a. with the anchor members in their retracted positions, advancing the distal end of the elongate tube into the tissue mass;
- b. thereafter, advancing the rod distally to its second position, thereby forcing the anchor members outwardly from the elongate tube and into the tissue mass;
- c. thereafter, stabilizing the tissue mass with the tissue anchor while cutting the tissue; and
- d. removing the tissue mass.

92. (Currently Amended): A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:

- a. an elongate tube having a distal end, a central bore, a wall, and four apertures extending through the wall, the elongate tube being manually graspable and adapted to enable a length of the elongate tube to be inserted into the tissue mass;
- b. a rod having a length which is slidably received in the central bore of the elongate tube, the rod being moveable distally with respect to the elongate tube from a first position; and
- c. four anchor members, with one anchor member being associated with each aperture of the elongate tube, each of the anchor members being connected to the rod for movement therewith such that a majority of the length of each anchor member is received within the central bore of the elongate tube when the rod is in its first position and each anchor member moves outwardly from its associated aperture into the tissue mass to assume a curved configuration to facilitate stabilization of the tissue mass when the rod is moved distally.

93. (Previously Added): A method of removing a tissue mass from a tissue, comprising:

- a. providing a tissue anchor comprising an elongate tube having a distal end and a plurality of apertures; a manually controllable actuator; and a plurality of anchor members operatively connected to the actuator;
- b. advancing the distal end of the elongate tube into the tissue mass to a desired location;
- c. thereafter, manually moving the actuator to deploy the anchor members outwardly from the elongate tube through the apertures, thereby forcing the anchor members into the tissue mass;
- d. thereafter, stabilizing the tissue mass with the tissue anchor while cutting the tissue; and
- e. removing the tissue mass.

94. (Previously Amended): A method according to claim 93, wherein stabilizing the tissue mass includes drawing the tissue anchor proximally, thereby tensioning the tissue mass.

95. (Previously Amended): A method according to claim 93, further comprising leaning the elongate tube and the elongate rod after the anchor members are deployed in the tissue mass to facilitate surgical removal of the tissue mass.

96. (Previously Added): A method of stabilizing a tissue mass during a medical procedure using a tissue anchor which includes an elongate tube having a distal end and a plurality of apertures; a manually controllable actuator; and a plurality of anchor members operatively connected to the actuator, the method comprising:

- a. grasping the elongate tube of the tissue anchor and advancing the distal end of the elongate tube into the tissue mass to a desired location;
- b. thereafter, manually moving the actuator to deploy the anchor members outwardly from the elongate tube through the apertures, with one anchor member advancing through each aperture such that the anchor members

curve outwardly from the apertures, thereby extending the anchor members into the tissue mass;

- c. thereafter, manually grasping the tissue anchor to stabilize the tissue mass.

97. (Previously Amended): A method according to claim 96, further comprising drawing the tissue anchor proximally after deploying the anchor members, thereby tensioning the tissue mass.

98. (Currently Amended): A tissue anchor for stabilizing a tissue mass for surgical excision, comprising:

- a. an elongate tube having a distal end adapted to be advanced into the tissue mass, a central bore, a wall, and a plurality of apertures extending through the wall;
- b. a manually controllable actuator carried by the elongate tube and being moveable with respect to the elongate tube between a first position and a second position, the actuator including a stop that cooperates with the elongate tube to limit movement of the elongate member with respect to the elongate tube, thereby defining the second position of the actuator; and
- c. a plurality of manually deployable anchor members, with one anchor member being associated with each aperture of the elongate tube, each of the anchor members being operatively connected to the actuator such that each anchor member assumes a retracted position when the actuator is in its first position and each anchor assumes an extended position when the actuator is in its second position, each anchor member in its retracted position having a major portion received within the central bore of the elongate tube, each anchor member in its extended position projecting outwardly from its associated aperture into the tissue mass and assuming a curved configuration to facilitate stabilization of the tissue mass.

99. (Previously Added): A method of stabilizing a tissue mass using the tissue anchor of claim 83, comprising:
- a. with the rod in its first position, advancing the distal end of the elongate tube into the tissue mass;
 - b. thereafter, advancing the rod distally to its second position, thereby forcing the anchor members outwardly from the elongate tube and into the tissue mass to stabilize the tissue mass; and
 - c. thereafter, leaning the elongate tube and the elongate rod to facilitate surgical removal of the tissue mass.